BACKLIT KEYBOARDS

KSML92-W-MC1

IEC 60945 FULLY TESTED MARINE KEYBOARD

Compact LED backlit keyboard with removable 50mm laser trackball





This "Duralight" 92 key backlit keyboard is approved for use with Solas Marine applications (f.i ECDIS). The keyboard features a compact full MF keyboard with integrated numpad and a large 50mm laser trackball with removable ball.

MAIN FEATURES

- Certificate of Conformity fully compliant with IEC60945
- Compact layout
- Removable 50 mm laser trackball
- High brightness LED's with fibre optics
- Illumination of the key legends and contour, the trackball contour and even customer logo's or trademarks.
- Low power LED's warrant for a long life
- No external power supply necessary, keyboard port power sufficient
- Dimmable backlighting at 8 levels by two dedicated keys
- Intelligent luminosity setting of "numlock" and capslock" LED's
- · White backlighting as standard, other colours on request.

Panel mount version:

- Aluminium carrier and silicone sponge panel sealing
- Front panel mounting with holes (for countersunk M4 screws, not included)
- Added silicon sponge seal for perfect sealing into the user's panel
- The rear side components are protected by a covering metal plate
- ullet Dimensions / weight : 385 x 185 x 50 mm / 1,2 kg

GENERAL TECHNICAL SPECIFICATIONS

Sealing : IP67 sealed

Keys : 92 short travel switches, tactile feel switches

with 0,3 mm travel and 2,55 N operating force

Pointing Device : 50 mm laser trackball, epoxy resin ball
Output : USB output for keyboard and trackball via

shielded cable of 1,8 meter.

Power requirements : Directly from USB port

Operating temp. : 0°C to +60°C

Front layer : Black polyester front layer with embossed keys, Possible customization includes

scratch and chemical resistant

Compass safe distance: 0.5m (panel mount) / 1.4m (enclosed)

IEC60945 certificate_ksml92.pdf

$\underline{\text{Enclosed version}}:$

- The keyboard is mounted in a robust, all steel enclosure
- Industrial epoxy coating (mid-grey).
- Dimensions / weight: 418 x 246 x 70 mm / 3,5 kg

CUSTOMIZATION

Possible customization includes adapted backlighting controls, addition of company logo or specific function keys, different layouts, different colour, all this without having to reapply for certification!





ORDER INFO

LAYOUT	PANEL MOUNT	ENCLOSED
US Qwerty	KSML92 F0001-W-MC1	KSML92 S0001-W-MC1
RU Cyrillic	KSML92 F0007-W-MC1	KSML92 S0007-W-MC1


USB output, white backlighting

BACKLIT KEYBOARDS

KSML92-W-MC1

DIMENSIONAL DRAWING

panel mount version



 $The company \ reserves \ the \ right \ to \ alter \ without \ prior \ knowledge \ the \ specification \ or \ design \ of \ any \ standard \ product \ or \ service.$

VER. 1.0

BACKLIT KEYBOARDS


KSML92-W-MC1

DIMENSIONAL DRAWING

enclosed version







COLOURS Keyboard & Key Background : PANTONE Black 2 C 2X

Key edges & key legends : white translucent

 $The company \ reserves \ the \ right \ to \ alter \ without \ prior \ knowledge \ the \ specification \ or \ design \ of \ any \ standard \ product \ or \ service.$

VER. 1.0